



MONTREAL SLIM

_Refrigerators and freezers. Plug-in installation

Space-saving eye-catcher

The most stylish AHT appliance for small spaces. MONTREAL SLIM is ideal for smaller shops, although it still offers the largest display area of any AHT refrigerator or freezer.



VISUAL MERCHANDISING

Thanks to vertical glass panels on 3 sides of the end cabinet, MONTREAL SLIM offers best-possible visibility of the goods on display. The smooth-running push-pull lid ensures easy removal of merchandise. Thanks to the height- and width-adjustable product racks, the LED lights and the protective bumper strip with integral price display, produce can be presented perfectly. Another practical feature is that it can be used by two people simultaneously.



HIGH ENERGY SAVINGS

Save even more compared to conventional multi-unit systems. The electronically controlled, variable-speed compressor (VS) reduces power consumption by 25%. In addition, the new energy-saving fan saves 0.5 kWh every day.



ENVIRONMENT AND CLIMATE

MONTREAL SLIM units are completely CFC- and HFC-free and use the ecologically harmless and natural refrigerant propane (R290). This makes them particularly environmentally friendly.



INTELLIGENT INSTALLATION

Ready-to-connect installation means that MONTREAL SLIM units can be used immediately. In addition, the outer-skin condenser provides for maintenance-free refrigeration. MONTREAL SLIM appliances are available as in-line and end cabinets. They can be easily combined with overhanging KINLEY XL or KINLEY X5 units.



SEMI-AUTOMATIC DEFROSTING

Semi-automatic defrosting is possible in all temperature ranges. The constant temperature and high-quality plastic containers mean that the shelf life and hygiene of all products are always ensured. The plastic interior drip tray guarantees easy cleaning.



COMPATIBLE WITH AMS

Our Active Monitoring System (AMS) allows us to detect problems before you notice them. As an essential add-on to all AHT products, the AMS makes it much easier for you to manage and monitor the AHT cooling systems in your stores.

INDIVIDUAL BRANDING

AHT cooling units are constructed individually: Using our template, you create the design, then we apply it directly during production.



TEMPERATURE RANGES

Cooling	+3°C to +15°C ¹
Freezing	-18°C to -23°C
Mincemeat/meat chilling	0°C to +2°C

¹ Fixed preset that can be changed by a service technician

USPs

LARGEST DISPLAY AREA

MONTREAL SLIM SLIDE and MONTREAL SLIM PUSH seamlessly combine attractive visual merchandising with excellent access to produce, thanks to the large glass side panels.

DESIGN

Linear, contemporary design with the largest display area of all AHT refrigerators and freezers. MONTREAL SLIM can be integrated seamlessly into your store concept. The colours and surfaces are adapted individually to your requirements.

PRODUCT ACCESSIBILITY

Thanks to the slide and push lid variants for all MONTREAL units, the best possible access to goods is guaranteed.





STANDALONE UNIT



IN-LINE UNIT



BLOCK INSTALLATION

CONFIGURATIONS

Solo



Row




Block



Island



- _ optionally with end cabinet on both sides
- _ extendible with commercially available shelf attachments




ACCESSORIES

- _ Price display for end cabinet (suitable for high cover)
- _ High cover (between the back-to-back units)
- _ Low cover (between the back-to-back units)
- _ Side cover (closes off the island at the sides)
- _ Water protection strip (colour change on customer request)
- _ Vario grid system (rack inserts & wire dividers) & wire basket inserts
- _ Scanner strips
- _ Impact protection
- _ Colour and styling options tailored to customer requirements (housing, protective bumper strip, plastic parts in 2 standard colours)
- _ Compatible with the Active Monitoring System (AMS)


MONTREAL SLIM

175 / 210 / 250



MONTREAL SLIM

EC



DIMENSIONS

MONTREAL SLIM		175	210	EC	250
Length, exterior / interior	mm	1,752 / 1,623	2,102 / 1,973	2,173 / 1,973	2,502 / 2,373
Depth, exterior / interior	mm	876 / 723	876 / 723	1,024 / 863	876 / 723
Height, front / rear	mm	846 / 910	846 / 910	847 / 910	846 / 910
Stacking height, front / rear	mm	470 / 530	470 / 530	450 / 450	470 / 530